

RZ800+ 5W30 Engine Oil

RZ800+ 5W30 has been specifically developed to be used as universal lubricant in all the gasoline and diesel engines of the VAG group (VW, Audi, Skoda, Seat), including the new EURO IV engines with after treatment devices like DPF, CAT and the latest generation injection. It delivers unsurpassed levels of protection across a variety of driving conditions and temperatures. It protects emission systems by helping to keep diesel particulate filters clean. It effectively reduces fuel consumption and harmful emissions with long drain capability. It's specially for pump nozzle, common-rail diesel engines with diesel particulate filter.

Compatibility:

- ACEA C3
- API SP
- BMW Longlife-04
- Porsche C30
- MB 229.51 / 229.31
- VW 504 00/507 00

Advantages:

- Fuel economy due to low-viscosity characteristics
- Highest oxidation stability due to a special base oil composition made of HC synthetic and fully synthetic PAO base oils
- Stable lubricating film, even with hot oil and under excessive loads, and the best wear protection
- Reliable protection against corrosion and black sludge
- Low oil consumption due to a very low evaporation loss

RZ800 100% Synthetic Motor Oil is especially suitable for use in gasoline and diesel engines of mid/high-end home or commercial cars and passenger cars. Blended with high-quality PAO fully synthetic base oil and additive technology.

Content: 1,0 Liter

Content Carton: 10 cans

Content: 60,0 Liter Content: 200,0 Liter

Content Sea pallet: 9 drums Content Sea pallet: 4 drums

Typical characteristics

Typical citations			
Property	Method	Unit	Value
Density at 15 °C	ASTM D-7 <mark>042</mark>	g/ml	0,85
Kinematic viscosity KV 40	ASTM D-7 <mark>042</mark>	mm²/s	70
Kinematic viscosity KV 100	ASTM D-7042	mm²/s	12
Viscosity index	ASTM D-7042	-	169
Flash point	ASTM D-92 / DIN EN ISO <mark>2592</mark>	°C	236
Pour point	ASTM D-97 / DIN EN ISO 3016	°C	-39
ccs	ASTM D-5293	cP @ °C	6000 @ -30
Total base number	DIN 51639-1	mgKOH/g	6,3
HTHS	ASTM D4683	mPas	3,51

These parameters are typical of current production. The data does not include any assurance of properties or the guarantee of suitability for a special application. Existing statutory provisions and ordinances, which relate to the handling and use of the products, must be observed by the recipient of our products.



